

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2685	726/22-25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L5	707	726/24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L6	4863	380/264,277-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L7	4863	380/264,277-286,44-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L8	851	713/187-188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L9	6293	717/124,127- 134,138,140,141,150-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L10	14307	L4 or L6 or L8 or L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L11	12	code optimization and ((virus or malicious code or malware or spyware) near3 (detect\$4 or discover\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L12	7	code optimiz\$5 and virus detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L13	94	(code with optimiz\$5) and ((virus or malicious code or malware or spyware) near3 (detect\$4 or discover\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L14	1001	polymorphic same (virus or spyware or malicious or malware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L15	150	L10 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L16	710131	optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L17	13995	(code or program) near2 optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L18	4	L15 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L19	612	optimiz\$5 same decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L20	4	optimiz\$5 same (decryptor or (decryption loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L21	0	(optimiz\$5 and (decryptor or (decryption loop)) and ((constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L22	2709	(constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L23	179	(optimiz\$5 and decrypt\$4 and ((constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L24	31	L23 not Rhoads.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L25	105	polymorphic and (decryption loop or decrypt\$2) and body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L26	2	L23 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L27	7280	optimiz\$5 and (degarbling head or decrypt\$2 or decryption loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L28	2	degarbling head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L29	274	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L30	0	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and polymorphic (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L31	2	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and polymorphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L32	0	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and morphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L33	1	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and metamorphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L34	117	optimiz\$5 and (degarbling head or decrypt\$2 or decryption loop) and (\$4morphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L35	1461	(optimiz\$5) and ((constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L36	587	L10 and L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L37	1176	((code or program or execut \$4) with optimiz\$5) and ((constant fold) or (copy propagation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L38	870	((code or program or execut \$4) near3 optimiz\$5) and ((constant fold) or (copy propagation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L39	0	dead code same threshold same (suspicio\$2 or warning or alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L40	8	dead code same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L41	13	dead code same (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L42	11	dead code same limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L43	0	(((multi pass) or (multipass) or (multi-pass)) compiler) and (((peephole or window) optimiz\$5) or (constant fold\$3) or (copy propogat\$3) or (forward computations related to abstract interpretation) or (abstract interpretation) or (instruction specialization)) and (dead code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L44	0	(((multi pass) or (multipass) or (multi-pass)) compiler) and (((peephole or window) optimiz\$5) or (constant fold\$3) or (copy propogat\$3) or (forward computations related to abstract interpretation) or (abstract interpretation) or (instruction specialization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L45	28	((multi pass) or (multipass) or (multi-pass)) compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L46	42	iterat\$5 and (peephole optimization or constant folding or copy propogation or instruction specialization) and control flow graph	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L47	6	(local and global) near3 (dead code elimination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L48	761	(eliminat\$5 same dead same (code or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L49	494	(eliminat\$5 with dead with (code or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L50	429	(eliminat\$5 with dead with (code or instruction)) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L51	65	L49 not L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L52	117	(eliminat\$5 with dead with (code or instruction)) and optimiz\$5 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L53	331	(eliminat\$5 with dead with (code or instruction)) and optimiz\$5 and (threshold or limit or max or maximum or minimum or predetermin\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L54	27	(eliminat\$5 with dead with (code or instruction)) same (threshold or limit or max or maximum or minimum or predetermin\$2) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L55	331	(eliminat\$5 with dead with (code or instruction)) and (threshold or limit or max or maximum or minimum or predetermin\$2) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L56	581	((eliminat\$5 with dead with (code or instruction)) or ((remov\$2 or delet\$4) near3 (code or instruction))) same (threshold or limit or max or maximum or minimum or predetermin\$2) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L57	61	L56 and (polymorphic or metamorphic or virus or worm or trojan or spyware or malware or malicious or spam or adware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L58	8	(eliminat\$5 with dead with (code or instruction)) same (log or record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L59	7859	compiler same (generat\$4 or create or output or display) with (report or record or output or analysis or metrics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23

L60	7859	compiler same (generat\$4 or create or output or display) with (report or record or output or analysis or metric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L61	7859	compiler same ((generat\$4 or create or output or display) with (report or record or output or analysis or metric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L62	16945	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L63	2214	L61 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L64	118	compiler same ((generat\$4 or create or output or display) with (logfile or log file or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L65	41	L56 and (L63 or L64)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L66	0	dead code with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L67	0	dead code elimination same (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23
L68	7	dead code elimination same (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 15:23



L69	1	10/411572	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 16:03
L71	17	"6,230,288"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:25
L72	2	"6230288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:25
L73	6	2003/0177394 or "5956481". pn. or "7114185".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:34
L74	45	code optimization and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:45
L75	88	(code or program or software) optimization and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:46
L76	1328	(code or program or software) near5 optimiz\$5 and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:46
L77	1328	((code or program or software) near5 optimiz\$5) and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 17:46

L78	111	(peephole optimization or constant folding or copy propagation or abstract interpretation or (program or instruction) specialization or dead code elimination or code motion or (loop or code or program or software) optimization) and virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 18:23
L79	8	dead code same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:03
L80	17	redundancy (eliminat\$4 or remov\$4) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:06
L81	72	(virus or malicious) and dead code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:10
L82	87	(virus or malicious) and (dead or redundant) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:10
L84	6	(virus or malicious) same (dead or redundant) code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:10
L85	1	(virus or malicious) and (dead or redundant) code and (polymorhpic or metamorphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:31
L86	50	"6357008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:56

L87	2	"6357008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/22 19:56
S2	1872	726/22-25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 13:40
S3	456	726/24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 13:53
S4	4036	380/264,277-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 13:54
S5	4036	380/264,277-286,44-47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 13:55
S6	643	713/187-188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 14:40
S7	5219	717/124,127- 134,138,140,141,150-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 14:41
S8	11508	S2 or S4 or S6 or S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 14:47
S9	7	code optimization and ((virus or malicious code or malware or spyware) near3 (detect\$4 or discover\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 15:12

S10	4	code optimiz\$5 and virus detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 15:12
S11	75	(code with optimiz\$5) and ((virus or malicious code or malware or spyware) near3 (detect\$4 or discover\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 15:58
S12	811	polymorphic same (virus or spyware or malicious or malware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 16:00
S13	108	S8 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 16:00
S14	607751	optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 16:01
S15	11832	(code or program) near2 optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 16:01
S16	4	S13 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 16:02
S17	464	optimiz\$5 same decrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 17:09
S18	2	optimiz\$5 same (decryptor or (decryption loop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 17:37

S19	0	(optimiz\$5 and (decryptor or (decryption loop)) and ((constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:10
S20	2312	(constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 17:40
S21	150	(optimiz\$5 and decrypt\$4 and ((constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 17:49
S24	24	S21 not Rhoads.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 18:01
S25	86	polymorphic and (decryption loop or decrypt\$2) and body	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:19
S26	1	S21 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:10
S27	5690	optimiz\$5 and (degarbling head or decrypt\$2 or decryption loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:22

S28	2	degarbling head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:22
S29	199	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:23
S30	0	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and polymorphic (code or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:24
S31	1	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and polymorphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:24
S32	0	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and morphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:25
S33	0	optimiz\$5 same (degarbling head or decrypt\$2 or decryption loop) and metamorphic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:25
S34	91	optimiz\$5 and (degarbling head or decrypt\$2 or decryption loop) and (\$4morphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 19:26
S35	1232	(optimiz\$5) and ((constant fold) or (copy propogation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:13

S36	510	S8 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:11
S37	1000	((code or program or execut \$4) with optimiz\$5) and ((constant fold) or (copy propagation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:14
S38	746	((code or program or execut \$4) near3 optimiz\$5) and ((constant fold) or (copy propagation) or (dead code elimination) or (code motion) or ((peephole or window) optimization) or (abstract interpretation) or (instruction specialization) or (control flow graph))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:40
S39	0	dead code same threshold same (suspicio\$2 or warning or alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:41
S40	8	dead code same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:45
S41	13	dead code same (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:45
S42	11	dead code same limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/25 20:45

S43	0	((((multi pass) or (multipass) or (multi-pass)) compiler) and (((peephole or window) optimiz\$5) or (constant fold\$3) or (copy propogat\$3) or (forward computations related to abstract interpretation) or (abstract interpretation) or (instruction specialization)) and (dead code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/26 09:13
S44	0	((((multi pass) or (multipass) or (multi-pass)) compiler) and (((peephole or window) optimiz\$5) or (constant fold\$3) or (copy propogat\$3) or (forward computations related to abstract interpretation) or (abstract interpretation) or (instruction specialization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/26 09:13
S45	25	((multi pass) or (multipass) or (multi-pass)) compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/26 09:22
S46	32	iterat\$5 and (peephole optimization or constant folding or copy propogation or instruction specialization) and control flow graph	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/26 10:29
S47	6	(local and global) near3 (dead code elimination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 16:02
S48	651	(eliminat\$5 same dead same (code or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:01
S49	405	(eliminat\$5 with dead with (code or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:03
S50	351	(eliminat\$5 with dead with (code or instruction)) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:06



S51	54	S49 not S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:04
S52	88	(eliminat\$5 with dead with (code or instruction)) and optimiz\$5 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:25
S53	269	(eliminat\$5 with dead with (code or instruction)) and optimiz\$5 and (threshold or limit or max or maximum or minimum or predetermin\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:07
S54	22	(eliminat\$5 with dead with (code or instruction)) same (threshold or limit or max or maximum or minimum or predetermin\$2) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:54
S55	269	(eliminat\$5 with dead with (code or instruction)) and (threshold or limit or max or maximum or minimum or predetermin\$2) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:08
S56	483	((eliminat\$5 with dead with (code or instruction)) or ((remov\$2 or delet\$4) near3 (code or instruction))) same (threshold or limit or max or maximum or minimum or predetermin\$2) and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 18:04
S57	54	S56 and (polymorphic or metamorphic or virus or worm or trojan or spyware or malware or malicious or spam or adware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:19
S58	8	(eliminat\$5 with dead with (code or instruction)) same (log or record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:23
S59	6921	compiler same (generat\$4 or create or output or display) with (report or record or output or analysis or metrics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:55

S60	6921	compiler same (generat\$4 or create or output or display) with (report or record or output or analysis or metric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:56
S61	6921	compiler same ((generat\$4 or create or output or display) with (report or record or output or analysis or metric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:57
S62	13792	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:56
S63	1887	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 17:56
S64	98	compiler same ((generat\$4 or create or output or display) with (logfile or log file or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 18:04
S65	32	S56 and (S63 or S64)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 18:06
S66	0	dead code with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/27 19:26
S67	0	dead code elimination same (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 09:10
S68	7	dead code elimination same (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/13 09:10

6/22/2008 9:03:11 PM

C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10763637.wsp